



Moneysworth & Best
120 Midair Court
Brampton, ON, L6T 5V1
Canada
905-790-0650

PRODUCT: 173004_ Neutral Florsheim Paste Polish, 70g

CODE: 173004

SECTION 01: IDENTIFICATION

Product Identity..... 173004_ Neutral Florsheim Paste Polish, 70g
Product Item Numbers..... 173004
Supplier..... Moneysworth & Best
120 Midair Court
Brampton, ON
Canada
L6T-5V1
905-790-0650
24 hour emergency telephone number..... In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800) 424-9300.
Recommended Use..... Shoe care.

SECTION 02: HAZARD IDENTIFICATION



Label Elements:
Signal Word..... WARNING.
Hazard Classification:
Physical Hazards..... Not Classified.
Health Hazards..... Acute Toxicity Oral - Category 4. Skin Irritation - Category 2. Eye Irritation - Category 2.
Hazard Statement..... H302:Harmful if swallowed . H319:Causes serious eye irritation. H315:Causes skin irritation.
Precautionary Statements:
Prevention..... P264:Wash hand thoroughly after handling. P270:Do not eat, drink, or smoke when using this product. P280:Wear protective gloves/protective clothing.
Response..... P301+P312:IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P337+P313:If eye irritation persists: Get medical advice/attention. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330:Rinse mouth.
Storage..... None.
Disposal..... P501:Dispose of contents/container in accordance with local, regional, national, and/or international regulations.
Hazard(s) not otherwise classified (HNOC) None Known.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Solvent Naphtha, Heavy Aromatic	64742-94-5	60-100
Stearyl alcohol	112-92-5	1-5
Castor Oil	8001-78-3	1-5

SECTION 04: FIRST-AID MEASURES

Inhalation..... If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain immediate medical assistance.
Eye Contact..... Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Get medical attention if irritation persists.
Skin Contact..... Not applicable .
Ingestion..... If swallowed, get medical attention immediately. Do not induce vomiting, get medical attention.
Most important symptoms/effects, acute .. Direct eye contact may cause temporary eye irritation.
and delayed
Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

PRODUCT: 173004_ Neutral Florsheim Paste Polish, 70g

CODE: 173004

SECTION 05: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media..... Dry chemical powder. Carbon dioxide. Foam, water spray or fog.
 Unsuitable Extinguishing Media..... Do not use water jet as an extinguisher, as this will spread the fire.
 Specific Hazards Arising from the Chemical In case of fire, the following can be released: Carbon Oxides (CO, CO2), Other unidentified Organic Compounds.
 Special Protective Equipment and Firefighters must use standard protective equipment including flame retardant coat, helmet
 Precautions for Firefighters with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective For small quantities wear gloves, wipe up with damp cloth, rinse cloth thoroughly and allow
 Equipment and Emergency Procedures cloth to dry before laundering.
 Methods and Materials for Containment .. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,
 and Cleaning Up earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
 Environmental Precautions..... Not applicable .

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling..... Removal of products need to wear protective gloves, handled with care when handling
 apply good manufacturing practice & industrial hygiene practices. Observe good personal
 hygiene, and do not eat, drink or smoke whilst handling. Wear protective goggles and
 gloves when handling material. Clean cloths, must be worn. Observe all warnings and
 precautions listed for the product.
 Conditions for Safe Storage including any Store in a cool area, Keep container tightly sealed, Keep air contact to a minimum.
 Incompatibilities Combustible materials should be stored away from extreme heat and away from reactive substances.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	ACGIH TLV		PEL	OSHA PEL		REL	NIOSH
	TWA	STEL		STEL	STEL		
Solvent Naphtha, Heavy Aromatic	5 mg/m3	10 mg/m3	Not available	Not available	Not available	Not available	Not available
Stearyl alcohol	Not available	Not available	Not available	Not available	Not available	Not available	Not available
Castor Oil	Not available	Not available	Not available	Not available	Not available	Not available	Not available
Appropriate Engineering Controls.....	Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Ground all equipment and cylinders before use.						
Individual Protection Measures:							
Eye/Face Protection.....	Prevent eye contact, wear safety glasses in the event that eye contact is possible.						
Skin Protection.....	Not normally required.						
Respiratory Protection.....	Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies.						
Thermal Hazards.....	None Known.						
General Hygiene Considerations.....	N/A.						

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State..... Solid.
 Physical Appearance..... Paste.
 Colour..... Colourless.
 Odour..... Slightly Odour.
 Odour Threshold (ppm)..... No data.
 Melting Point (°C)..... 40-50°C.
 Relative Density..... 0.88-0.92 (Water=1).
 Vapour Pressure (psig)..... Not applicable.
 Vapour Density (Air=1)..... No data.
 VOC Content..... Not available.
 Evaporation Rate (n-Butyl Acetate = 1)..... Not applicable.
 pH..... 7-8.
 Solubility in water..... Insoluble.
 Lower Explosive Limit (% vol)..... Not applicable.
 Upper Explosive Limit (% vol)..... Not applicable.

PRODUCT: 173004_Neutral Florsheim Paste Polish, 70g

CODE: 173004

SECTION 10: STABILITY AND REACTIVITY

Reactivity Product not reactive under normal conditions of use.
 Chemical Stability..... Stable at normal temperatures and pressures.
 Possibility of Hazardous Reactions..... Will not occur.
 Conditions to Avoid..... None.
 Incompatible Materials..... Avoid contacting with oxidizers.
 Hazardous Decomposition Products..... No hazardous decomposition products when stored and handled correctly.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Solvent Naphtha, Heavy Aromatic	590 mg/m3 (4hr,Rat)	3000 mg/kg (Rat,Oral); 3000 mg/kg (Rabbit,Dermal)
Stearyl alcohol	Not available	Not available
Castor Oil	Not available	Not available

Information on Likely Routes of Exposure:

Routes of entry - Inhalation..... No.
 Routes of entry - Skin & Eye..... May cause irritation.
 Routes of entry - Ingestion..... No.
 Routes of entry - Skin Absorption..... No.
 Symptoms Related to the Physical, Irritant effects.
 Chemical and Toxicological Characteristics
 Acute Toxicity..... No known significant effects.
 Skin Corrosion/Irritation..... May cause mild skin irritation.
 Serious Eye Damage/Eye Irritation..... Causes eye irritation.
 Respiratory or Skin Sensitization..... May cause skin sensitization.
 Germ Cell Mutagenicity..... No information is available, and no adverse effects are expected.
 Carcinogenicity..... Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.
 Reproductive Toxicity..... No information is available, and no adverse effects are expected.
 STOT - Single Exposure..... No data available .
 STOT - Repeated Exposure..... No data available .
 Aspiration Hazard..... Based on available data, the classification criteria are not met.
 Chronic Effects..... No long term chronic effects are known or anticipated.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity..... Not available.
 Bioaccumulation Potential..... The product itself has not been tested.
 Mobility in Soil..... The product itself has not been tested.
 Other Adverse Effects..... None Known.
 Persistence and degradability The product itself has not been tested.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)..... Not currently regulated.
 DOT (US-Road)..... Not currently regulated.
 IMDG (International- Marine)..... Not currently regulated.
 IATA (International- Air)..... Not currently regulated.

SECTION 15: REGULATORY INFORMATION

Canada Regulations:..... Not controlled under DSCL.
 US Regulations
 TSCA Inventory Status..... All components are either listed or exempt from the TSCA.
 California Proposition 65..... There are no Proposition 65 chemicals present in this products levels that would require a warning under the California Safe Drinking Water and Toxic Enforcement Act.

SECTION 16: OTHER INFORMATION

PRODUCT: 173004_ Neutral Florsheim Paste Polish, 70g

CODE: 173004

SECTION 16: OTHER INFORMATION

Disclaimer..... This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material.

Abbreviations..... ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.

Prepared by Regulatory Affairs
Latest Revision 2021-02-26



Moneysworth & Best
120 Midair Court
Brampton, ON, L6T 5V1
Canada
905-790-0650

PRODUCT: 173010 _Black Florsheim Paste Polish, 70g

CODE: 173010

SECTION 01: IDENTIFICATION

Product Identity..... 173010 _Black Florsheim Paste Polish, 70g
 Product Item Numbers..... 173010
 Supplier..... Moneysworth & Best
 120 Midair Court
 Brampton, ON
 Canada
 L6T-5V1
 905-790-0650
 24 hour emergency telephone number..... In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800) 424-9300.
 Recommended Use..... Shoe care.

SECTION 02: HAZARD IDENTIFICATION



Label Elements:
 Signal Word..... WARNING.
 Hazard Classification:
 Physical Hazards..... Not Classified.
 Health Hazards..... Acute Toxicity Oral - Category 4. Skin Irritation - Category 2. Eye Irritation - Category 2.
 Hazard Statement..... H302:Harmful if swallowed . H319:Causes serious eye irritation. H315:Causes skin irritation.
 Precautionary Statements:
 Prevention..... P264:Wash hand thoroughly after handling. P270:Do not eat, drink, or smoke when using this product. P280:Wear protective gloves/protective clothing.
 Response..... P301+P312:IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P337+P313:If eye irritation persists: Get medical advice/attention. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330:Rinse mouth.
 Storage..... None.
 Disposal..... P501:Dispose of contents/container in accordance with local, regional, national, and/or international regulations.
 Hazard(s) not otherwise classified (HNOC) None Known.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Solvent Naphtha, Heavy Aromatic	64742-94-5	60-100
Stearyl alcohol	112-92-5	1-5
Castor Oil	8001-78-3	1-5
Carbon black	1333-86-4	0.1-1

SECTION 04: FIRST-AID MEASURES

Inhalation..... If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain immediate medical assistance.
 Eye Contact..... Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Get medical attention if irritation persists.
 Skin Contact..... Not applicable .
 Ingestion..... If swallowed, get medical attention immediately. Do not induce vomiting, get medical attention.
 Most important symptoms/effects, acute .. Direct eye contact may cause temporary eye irritation.
 and delayed

PRODUCT: 173010 _Black Florsheim Paste Polish, 70g

CODE: 173010

SECTION 04: FIRST-AID MEASURES

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media..... Dry chemical powder. Carbon dioxide. Foam, water spray or fog.
 Unsuitable Extinguishing Media..... Do not use water jet as an extinguisher, as this will spread the fire.
 Specific Hazards Arising from the Chemical In case of fire, the following can be released: Carbon Oxides (CO, CO₂), Other unidentified Organic Compounds.
 Special Protective Equipment and Precautions for Firefighters Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures Methods and Materials for Containment .. and Cleaning Up For small quantities wear gloves, wipe up with damp cloth, rinse cloth thoroughly and allow cloth to dry before laundering. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
 Environmental Precautions..... Not applicable .

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling..... Removal of products need to wear protective gloves, handled with care when handling apply good manufacturing practice & industrial hygiene practices. Observe good personal hygiene, and do not eat, drink or smoke whilst handling. Wear protective goggles and gloves when handling material. Clean cloths, must be worn. Observe all warnings and precautions listed for the product.
 Conditions for Safe Storage including any Incompatibilities Store in a cool area, Keep container tightly sealed, Keep air contact to a minimum. Combustible materials should be stored away from extreme heat and away from reactive substances.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL NIOSH
Solvent Naphtha, Heavy Aromatic	5 mg/m ³	10 mg/m ³	Not available	Not available	Not available
Stearyl alcohol	Not available	Not available	Not available	Not available	Not available
Castor Oil	Not available	Not available	Not available	Not available	Not available
Carbon black	3.5 mg/m ³	Not established	3.5 mg/m ³	Not established	3.5 mg/m ³
Appropriate Engineering Controls.....	Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Ground all equipment and cylinders before use.				
Individual Protection Measures:					
Eye/Face Protection.....	Prevent eye contact, wear safety glasses in the event that eye contact is possible.				
Skin Protection.....	Not normally required.				
Respiratory Protection.....	Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies.				
Thermal Hazards.....	None Known.				
General Hygiene Considerations.....	N/A.				

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State..... Solid.
 Physical Appearance..... Paste.
 Colour..... Black.
 Odour..... Slightly Odour.
 Odour Threshold (ppm)..... No data.
 Melting Point (°C)..... 40-50°C.
 Relative Density..... 0.88-0.92 (Water=1).

PRODUCT: 173010 _Black Florsheim Paste Polish, 70g

CODE: 173010

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Vapour Pressure (psig)..... Not applicable.
 Vapour Density (Air=1)..... No data.
 VOC Content..... Not available.
 Evaporation Rate (n-Butyl Acetate = 1)..... Not applicable.
 pH..... 7-8.
 Solubility in water..... Insoluble.
 Lower Explosive Limit (% vol)..... Not applicable.
 Upper Explosive Limit (% vol)..... Not applicable.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Product not reactive under normal conditions of use.
 Chemical Stability..... Stable at normal temperatures and pressures.
 Possibility of Hazardous Reactions..... Will not occur.
 Conditions to Avoid..... None.
 Incompatible Materials..... Avoid contacting with oxidizers.
 Hazardous Decomposition Products..... No hazardous decomposition products when stored and handled correctly.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Solvent Naphtha, Heavy Aromatic	590 mg/m3 (4hr,Rat)	3000 mg/kg (Rat,Oral); 3000 mg/kg (Rabbit,Dermal)
Stearyl alcohol	Not available	Not available
Castor Oil	Not available	Not available
Carbon black	Not available	>10,000 mg/kg (Oral - Rat); 3,000 mg/kg (Dermal - Rabbit)

Information on Likely Routes of Exposure:
 Routes of entry - Inhalation..... No.
 Routes of entry - Skin & Eye..... May cause irritation.
 Routes of entry - Ingestion..... No.
 Routes of entry - Skin Absorption..... No.
 Symptoms Related to the Physical, Irritant effects.
 Chemical and Toxicological Characteristics
 Acute Toxicity..... No known significant effects.
 Skin Corrosion/Irritation..... May cause mild skin irritation.
 Serious Eye Damage/Eye Irritation..... Causes eye irritation.
 Respiratory or Skin Sensitization..... May cause skin sensitization.
 Germ Cell Mutagenicity..... No information is available, and no adverse effects are expected.
 Carcinogenicity..... Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.
 Reproductive Toxicity..... No information is available, and no adverse effects are expected.
 STOT - Single Exposure..... No data available .
 STOT - Repeated Exposure..... No data available .
 Aspiration Hazard..... Based on available data, the classification criteria are not met.
 Chronic Effects..... No long term chronic effects are known or anticipated.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity..... Not available.
 Bioaccumulation Potential..... The product itself has not been tested.
 Mobility in Soil..... The product itself has not been tested.
 Other Adverse Effects..... None Known.
 Persistence and degradability The product itself has not been tested.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)..... Not currently regulated.
 DOT (US-Road)..... Not currently regulated.
 IMDG (International- Marine)..... Not currently regulated.
 IATA (International- Air)..... Not currently regulated.

PRODUCT: 173010 _Black Florsheim Paste Polish, 70g

CODE: 173010

SECTION 15: REGULATORY INFORMATION

Canada Regulations:..... Not controlled under DSCL.
 US Regulations
 TSCA Inventory Status..... All components are either listed or exempt from the TSCA.
 California Proposition 65..... There are no Proposition 65 chemicals present in this products levels that would require a warning under the California Safe Drinking Water and Toxic Enforcement Act.

SECTION 16: OTHER INFORMATION

Disclaimer..... This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material.

Abbreviations..... ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.

Prepared by Regulatory Affairs
 Latest Revision 2021-02-26